

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE (United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/811,042	03/17/2001	Stuart L. Axelson JR.	S-003 (Systems)	5681	
530	7590 10/27/2004		EXAMINER		
LERNER, DAVID, LITTENBERG, KRUMHOLZ & MENTLIK			PRIDDY, MICHAEL B		
600 SOUTH AVENUE WEST			ART UNIT	PAPER NUMBER	
WESTFIELD	, NJ 07090		3732		

DATE MAILED: 10/27/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

		App	olication No.	Applicant(s)	ι			
Office Action Commence		09/	811,042	AXELSON ET AL.				
• •	Office Action Summary	Exa	miner	Art Unit				
		1	hael B Priddy	3732				
Period fo	The MAILING DATE of this commun or Reply	ication appears	on the cover sheet with t	he correspondence addres:	5 			
THE - Exte after - If the - If NC - Failu Any	ORTENED STATUTORY PERIOD F MAILING DATE OF THIS COMMUN nsions of time may be available under the provisions SIX (6) MONTHS from the mailing date of this com- e period for reply specified above is less than thirty (2) period for reply is specified above, the maximum so the to reply within the set or extended period for reply reply received by the Office later than three months ed patent term adjustment. See 37 CFR 1.704(b).	ICATION. s of 37 CFR 1.136(a). nunication. 30) days, a reply within latutory period will app y will, by statute, cause	In no event, however, may a reply the statutory minimum of thirty (30 y and will expire SIX (6) MONTHS the application to become ABAND	be timely filed) days will be considered timely. from the mailing date of this commur ONED (35 U.S.C. § 133).	nication.			
Status								
1)⊠	Responsive to communication(s) file	ed on <u>06/21/2</u> 00	<u>4</u> .					
	This action is FINAL . 2b)⊠ This action is non-final.							
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposit	ion of Claims							
5)⊠ 6)⊠ 7)⊠	4) Claim(s) 1-81 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) 1-42 is/are allowed. 6) Claim(s) 43-45,47,48,50-52,54,55,57-59,61,62,64-66 and 71 is/are rejected. 7) Claim(s) 46, 49, 53, 56, 60, 63, 67-70 and 72 is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement.							
Applicat	ion Papers							
9)[The specification is objected to by the	ne Examiner.			•			
10)	The drawing(s) filed on is/are	: a) ☐ accepted	d or b) objected to by t	the Examiner.				
	Applicant may not request that any obje							
11)	Replacement drawing sheet(s) including The oath or declaration is objected to							
Priority (under 35 U.S.C. § 119							
a)	Acknowledgment is made of a claim All b) Some * c) None of: 1. Certified copies of the priority 2. Certified copies of the priority 3. Copies of the certified copies application from the Internation	documents have documents have of the priority donal Bureau (PC	ve been received. ve been received in Appl ocuments have been rec CT Rule 17.2(a)).	ication No eeived in this National Stag	je			
2) Notice	nt(s) ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (mation Disclosure Statement(s) (PTO-1449 of the No(s)/Mail Date 20040621.			mary (PTO-413) ail Date mal Patent Application (PTO-152	·)			

Art Unit: 3732

DETAILED ACTION

Claim Objections

Claim 44 is objected to because of the following informalities: in line 1, "44" should be –43--. Appropriate correction is required.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 43-45, 47, 48, 50-52, 54, 55, 57-59, 61, 62, 64-66 and 71 are rejected under 35 U.S.C. 102(b) as being anticipated by Hauri et al. (WO00/00093). Hauri et al. teaches a system for guiding the resection of a patient's bone during arthroplasty, said system comprising a resection guide 13k adapted for guiding a cutting device 12 relative to a patient's bone during arthroplasty, an alignment guide coupled to said resection guide 13k and adapted for attachment to the patient's bone, said alignment guide including a first assembly 10 for positioning said resection guide 13k along a translational path 10d, a second assembly 13q for positioning said resection guide 13k along a first rotational path 13m, and a third assembly 13f for positioning said resection guide 13k along a second rotational path 13d, and a computer navigation system 16 coupled to said resection guide 13k; and further including an anchoring pin 4 adapted

Application/Control Number: 09/811,042

Art Unit: 3732

to secure said alignment guide (at base 3) to a patient's bone. Concerning the limitations of claims 48, 55 and 62, it should be noted that Hauri et al. disclose, in lines 64-67 of column 12 and lines 1-2 of column 13, that "The holding arm 13 shown could be designed with sensors making it possible to detect the angles in the movement directions 13d, 13g and 13m..."

Allowable Subject Matter

Claims 1-42 and 74-81 are allowed.

Claims 46, 49, 53, 56, 60, 63, 67-70 and 72 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

Applicant's arguments with respect to claims 43, 50, 57 and 64 have been considered but are most in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael B. Priddy whose telephone number is (703) 308-8620. The examiner can normally be reached on Mon.-Fri. 8 a.m. - 5 p.m..

Application/Control Number: 09/811,042 Page 4

Art Unit: 3732

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin Shaver can be reached on (703) 308-2582. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Michael B. Priddy

October 25, 2004